Modèles et scénarios de décarbonation:

quels enseignements pour les politiques technologiques ?

P. Criqui

EDDEN, CNRS-UGA

Trois paradigmes et quatre échelles

MODELS SCENARIOS TRANSITION STUDIES	IAMs - Integrated Assessment Models	NATIONAL DECARBONIZATION SCENARIOS	SECTORAL & URBAN TRANSITION STUDIES
GLOBAL/ INTERNATIONAL	IPCC IAMC AMPERE/ADVANCE GECO 2015…	Deep Decarbonization Pathways Studies 2014 & 2015	New Climate Economy Reports 2014 & 2015
REGIONAL/ EUROPEAN LEVEL	2030 EU INDC 2050 Energy Roadmaps …		
NATIONAL	National E3 MODELS	Trajectories of Energy Transition e.g. Energiewende in G. National Debate in Fr.	
SUB-NATIONAL			McKinsey MACCs LUTI models (TRANUS, NEDUM) …

Trois paradigmes et quatre échelles

MODELS SCENARIOS TRANSITION STUDIES	IAMs - Integrated Assessment Models	NATIONAL DECARBONIZATION SCENARIOS	SECTORAL & URBAN TRANSITION STUDIES
GLOBAL/ INTERNATIONAL	IPCC IAMC AMPERE/ADVANCE GECO 2015…	Deep Decarbonization Pathways Studies 2014 & 2015	New Climate Economy Reports 2014 & 2015
REGIONAL/ EUROPEAN LEVEL	2030 EU INDC 2050 Energy Roadmaps …		
NATIONAL	National E3 MODELS	Trajectories of Energy Transition e.g. Energiewende in G. National Debate in Fr.	
SUB-NATIONAL			McKinsey MACCs LUTI models (TRANUS, NEDUM) …

The AMPERE FP7 Consortium :

Project Coordinator:
Potsdam Institute for Climate Impact Research (PIK)

International Institute for Applied Systems Analysis (IIASA)

Utrecht University (UU)

Fondazione Eni Enrico Mattei (FEEM)

Institute of Communication and Computer Systems (ICCS)

Centre for European Policy Studies (CEPS)

Centre International de Recherche sur l'Environnement et le Développement (CIRED)

Paul Scherrer Institut (PSI)

Centre national de la recherche scientifique (CNRS)

Enerdata

EU-JRC-Institute for Prospective Technology Studies (IPTS)

University of Stuttgart

Vienna Technical University, Energy Economics Group (EEG)

CPB Netherlands Bureau for Economic Policy Analysis

Université Paris I Pantheon-Sorbonne (ERASME)

MetOffice Hadley Centre

Climate Analytics

National Institute for Environmental Studies (NIES)

Research Institute of Innovative Technology for the Earth (RITE)

NDRC Energy Research Institute (ERI)

Indian Institute of Management (IIM)

External partner:
Pacific Northwest National Laboratory's Joint Global Change Research Institute (JGCRI)

Tools: IAMs in the FP7 AMPERE project

AMPERE is a unique European modeling platform

- Bringing together European groups with 10 global and 6 EU27 energy-economy / integrated assessment models
- Plus 5 groups from China (ERI), India (IIM), Japan (NIES, RITE), USA (PNNL)
- Plus 2 climate modeling groups (ClimateAnalytics, Hadley Centre)

	Inter-temporal GE model	CGE	Partial equilibrium energy system model		Other (Bottom-up / econometric models)
Global	REMIND	IMACLIM	IMAGE / TIMER	DNE21+	
Global	WITCH	WorldScan (EU detail)	TIAM-IER	IPAC	
Global	MESSAGE-MACRO	GEM-E3	POLES	GCAM	
Global	MERGE-ETL	AIM			
EU27		GEM-E3	PRIMES, Green-X TIMES-PanEU		GAINS, NEMESIS
India			MARKAL India		

Source: Elmar Kriegler PIK, AMPERE Venice meeting, 23-25 May 2012

AMPERE

FP7 AMPERE: diagnostics and validation

CO2 Fossil Fuel and Industry Emissions



$12.5, $50 increasing tax (4%/yr)



$50, $200 constant tax

Source: Elmar Kriegler PIK, AMPERE Venice meeting, 23-25 May 2012

AMPERE

Modèle POLES: résultats SECURE 2010 et GECO 2015



4-5°C



2°C

Source; LEPII-EDDEN, modèle POLES



Modèle POLES: une analyse des Decarbonization Wedges dans GECO 2015

Figure 28. Emission mitigation options: World (excl. LULUCF)



Source: JRC POLES model

An integrated energy, macroeconomic and industrial strategy (Pantelis Capros, AMPERE 2014)

AMPERE
Assessment of Climate Change Mitigation Pathways

4.1 The European Union's decarbonisation strategy requires strong 2030 targets

4.2 Carbon-free electricity, energy efficiency and transport electrification are critical for decarbonisation of the EU energy system



Figure 11: Decarbonisation costs under technological limitations for the EU relative to the reference in 2010-2050. Ranges and distribution of model results are shown by the boxplots, with black lines indicating the median. No discount rate is assumed.

4.3 Climate policies create opportunities for some European sectors and challenges for others

4.4 If other world regions start decarbonising later, Europe would gain a technological first mover advantage

Trois paradigmes et quatre échelles

MODELS SCENARIOS TRANSITION STUDIES	IAMs - Integrated Assessment Models	NATIONAL DECARBONIZATION SCENARIOS	SECTORAL & URBAN TRANSITION STUDIES
GLOBAL/ INTERNATIONAL	IPCC IAMC AMPERE/ADVANCE GECO 2015…	Deep Decarbonization Pathways Studies 2014 & 2015	New Climate Economy Reports 2014 & 2015
REGIONAL/ EUROPEAN LEVEL	2030 EU INDC 2050 Energy Roadmaps …		
NATIONAL	National E3 MODELS	Trajectories of Energy Transition e.g. Energiewende in G. National Debate in Fr.	
SUB-NATIONAL			McKinsey MACCs LUTI models (TRANUS, NEDUM) …

The DDPP - Deep Decarbonisation Pathway Project

(IDDRI-SDSN)

- *32 leading research institutions from 16 countries (Australia, Brazil, China, European Union, India, Indonesia, Japan, Mexico, Russia, South Africa, South Korea, the United States of America), covering more than 70% of global C02 emissions. The project aims to:*

1. *Prepare transparent national deep decarbonization pathways to 2050 to help countries adopt and implement policies to achieve deep decarbonization.*
2. *Support a positive outcome of the UNFCCC international climate negotiations by 2015 by helping national decision makers and the international community to understand what deep decarbonization implies for individual countries and regions.*
3. *Review aggregate global emission reduction pathways prepared for AR5 by the WG III in light of the national decarbonization pathways.*
4. *Build an on-going global network to facilitate learning and promote problem solving in the implementation phase of national of deep decarbonization strategies after 2015*

DDPP – The Deep Decarbonization Pathways Project



Les trois piliers de la décarbonisation

(Jim Williams, E3 San Francisco, Science 2012)



ANCRE is a national research alliance created in 2009

- Funding members: CEA, CNRS, CPU, IFPEN

Associated members : ANDRA, BRGM, CDEFI, IRSTEA, CIRAD, CSTB, IFREMER, INERIS, INRA, IFSTTAR, INRIA, IRD, IRSN, LNE, ONERA

- GP1: Biomass & bioenergy
- GP2: Georesources for energy
- GP3: Nuclear
- GP4: Wind and marine energy
- GP5: Solar

- *GP6: Transport sector*
- *GP7: Building*
- *GP8: Industry*

- GP9: Socioeconomics & foresight
- GP10: Grids, systems, storage



Decarbonization Wedges from DDPP: From country wise to technology wise





Decarbonization Wedges from DDPP: the global outlook

- Total Wedges = 40 GtCO2 avoided
- Demand-side wedges = 50%, slightly dominant before 2030



Decarbonization Wedges from DDPP: contrasted regional perspective

MCEC -20 GtCO2:
A dominant role of efficiency and decarbonization wedges in industry, while the power wedges are fairly blanced

HCIC -9 GtCO2:
Emission decrease rapidly after 2030, reduction in transport are significant while gas w/wo CCS and wind dominate the power sector

LCEC -8 GtCO2:
An emission plateau after 2020, limited reductions in building and transport strong contributions of nuclear and solar power

MCIC -3 GtCO2:
Emissions are reduced by 80%, strong reductions in buildings and transport, while gas+CCS, wind and solar dominate the power sector



Decarbonization Wedges from DDPP: a significant increase in electricity

World electricity production x 2,5
55% renewable sources
of which 36% VRE
21% nuclear power



Decarbonization Wedges from DDPP: different electricity growth, similar power mix

MCEC
Production x 3
54% renewable
of which 36% VRE
21% nuclear

HCIC
Production x 2
56% renewable
of which 44% VRE
21% nuclear

LCEC
Production x 5
52% renewable
of which 30% VRE
23% nuclear

MCIC
Production x 1,25
52% renewable
of which 38% VRE
21% nuclear



Trois paradigmes et quatre échelles

MODELS SCENARIOS TRANSITION STUDIES	IAMs - Integrated Assessment Models	NATIONAL DECARBONIZATION SCENARIOS	SECTORAL & URBAN TRANSITION STUDIES
GLOBAL/ INTERNATIONAL	IPCC IAMC AMPERE/ADVANCE GECO 2015…	Deep Decarbonization Pathways Studies 2014 & 2015	New Climate Economy Reports 2014 & 2015
REGIONAL/ EUROPEAN LEVEL	2030 EU INDC 2050 Energy Roadmaps …		
NATIONAL	National E3 MODELS	Trajectories of Energy Transition e.g. Energiewende in G. National Debate in Fr.	
SUB-NATIONAL			McKinsey MACCs LUTI models (TRANUS, NEDUM) …

La dimension micro-économique: le projet AETIC

- L'économie d'un plan climat local doit utiliser des critères de coût-efficacité pour identifier les options à privilégier:

Bâtiments	Transports	Prod./distrib. énergie
• Rénovation patrimoine municip.	• Planification urbaine	• Déchets
• Logements sociaux	• PDU / PDE	• Solaire BT / PV
• Programmes OPATB	• Transports collectifs	• Biomasse
• Opérations exemplaires TBE	• Véhicules municipaux	• Cogénération
• Eclairage public	• Modes doux	• Réseaux chaleur/froid
• Maîtrise demande électricité	• Véhicules électriques	• Smartgrids
• …/…	• …/…	• …/…

- Mais il est impossible d'ignorer la dimension systémique, en particulier dans les déterminants du transport

The SIEMENS-McKinsey study for London

- Three main areas for incremental improvements and abatements:
  - Buildings
  - Transport
  - Local energy systems
- Negative costs or transaction costs ?







Ville bas carbone, la dimension systémique 1: densités urbaines et émissions des transports (P. N. Giraud)



Atlanta	Barcelone
Population: 2,5 millions	Population:2,9 millions
Aire urbaine: 4 280 km2	Aire urbaine: 162 km2
7,5 t CO2/ha/an (Transport public et privé)	0,7 t CO2/ha/an (Transport public et privé)

Source: PN Giraud, B Lefevre

Trois scénarios contrastés de développement urbain pour la Région Urbaine de Grenoble en 2030



Région Urbaine (SCOT):
273 communes
730 000 habitants
Agglomération:
28 communes,
400 000 habitants

- S1 - concentration urbaine densification urbaine sur l'agglomération
- S2 - renforcement des pôles urbains et multipolarité (agglo + hors agglo)
- S3 - expansion urbaine par étalement (tendanciel)



Positive-energy: back to physics

- Standard 100 sqm house: **23 000 kWh**
  - 20 000 kWh heat for comfort and HW
  - 3 000 kWh electricity for lighting, washing, electronics
- Low energy house + electric vehicle: **9 000 kWh**
  - 5 000 kWh for comfort and HW
  - 2 500 kWh for lighting, washing, electronics
  - 1 500 kWh for electric vehicle (15 000km/yr)
- Solar supply (50 sqm PV roof): **9 000 kWh**
  - 1 000 kWh/m2 x 18% (eff) x 50 m2
- With storage, this may provide a balance for an individual house, but not in a multi-storeys building…

Des canyons urbains aux éco-quartiers, ilots à énergie positive et à la "smart community"

Le cauchemar du CATO Institute

ou la nature en ville ? Caserne de Bonne - Grenoble
grand prix écoquartiers 2009 50 kWh/m2 chal
+ Toyota i-Road by Cité Lib

Bâtiments, îlots à énergie positive: HIKARI à Lyon 2015
100 kWh/m2 chal+elec, 80% local (PV 180 kWh/m2)
+ SunMoov

Plateforme Technologique *Smart grids*



Future: Operation of system will be shared between central and distributed generators. Control of distributed generators could be aggregated to form microgrids or 'virtual' power plants to facilitate their integration both in the physical system and in the market.

Penser globalement et agir localement
penser localement pour agir globalement

Global et international

Europe

France

Collectivités locales

- GIEC, Accord de Paris, DDPP
- Paquets Energie-Climat (gouvernance Commission-Parlement-Conseil)
- Démo. délibérative (choix des futurs) et démo. représentative (moyens)
- Développement urbain bas carbone et démocratie locale participative